

# Work Order ID 45693

June 29, 2009 10:44:49 AM



Page 1

Item ID: D3186-4

Accept



Setup Start



Revision ID: D

Stop



Item Name: Spacepod Door, RH

Start Date: 15/07/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 03/08/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D3186

Rev D

100

0.00



Small Fab

Small Fab

Memo

0.00

Small Fab

1-Drill holes and cut out slots for latch as per dwg D3186 (D3186-4 detail)

*090713*

110

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

*27 809/07/13*

120

Identify as per dwg & Stock Location:

0.00



Packaging

Memo

0.00

Packaging

*W/O 45455*

*W*

# Work Order ID 45693

June 29, 2009 10:44:49 AM



Page 2

Item ID: D3186-4

Accept



Setup Start



Revision ID: D

Item Name: Spacepod Door, RH

Stop



Start Date: 15/07/2009 Start Qty: 1.00



Cust Item ID:

Required Date: 03/08/2009 Req'd Qty: 1.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Draw  
Number

Draw  
Rev.

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

130

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/07/14

U 09.07.14

June 29, 2009 10:44:48 AM

Page 1

1. The first step in the process is to identify the problem. This involves gathering information about the situation and the people involved.

2. The second step is to analyze the problem. This involves breaking the problem down into smaller parts and identifying the causes.

3. The third step is to develop a plan. This involves deciding on the best way to solve the problem and setting goals.




4. The fourth step is to implement the plan. This involves putting the plan into action and making changes as needed.

5. The fifth step is to evaluate the results. This involves checking to see if the problem has been solved and if the goals have been met.

[illegible]

**Required Date:** 03/08/2009

**Required Qty: 1.00**

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
D3186-2MRcvD 		Manufactured	No			100	Each	0.0000	1.0000 			
SPACEPOD DOOR RH												

Date: Tuesday, 10/02/2009 3:06:37 PM  
 User: Julie Dawson

## Process Sheet

<b>Customer</b> : CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b> : SPACEPOD DOOR RH
<b>Job Number</b> : 45693	
<b>Estimate Number</b> : 12636	
<b>P.O. Number</b> :	<b>Part Number</b> : D31864
<b>This Issue</b> : 10/02/2009 <b>S.O. No.</b> :	<b>Drawing Number</b> : D3186 REV.D
<b>Prsht Rev.</b> : NC	<b>Project Number</b> : N/A
<b>First Issue</b> : / / <b>Type</b> : PURCHASED PARTS	<b>Drawing Revision</b> : D
<b>Previous Run</b> : 39650B	<b>Material</b> :
<b>Written By</b> :	<b>Due Date</b> : 28/02/2009 <b>Qty:</b> 1 <b>Um:</b> Each
<b>Checked &amp; Approved By</b> : <u>JLD 09.02.10</u>	
<b>Comment</b> : Est Rev:A New Issue 07-01-11 EC est rev.B revD 07.03.07 ec	

## Additional Product

Job Number:



<b>Seq. #:</b>	<b>Machine Or Operation:</b>	<b>Description :</b>
----------------	------------------------------	----------------------

1.0	45693A	SPACEPOD DOOR RH
-----	--------	------------------

**Comment:** Sub-Component SPACEPOD DOOR RH

1 x D3186-2M Batch

B 45693AJA090713

2.0	SMALL FAB 1	SMALL & MEDIUM FAB RESOURCE 1
-----	-------------	-------------------------------

**Comment:** SMALL & MEDIUM FAB RESOURCE 1

1-Drill holes and cut out slots for latch as per dwg D3186 (D3186-4 detail)

JA 090713

3.0	QC5	INSPECT WORK TO CURRENT STEP
-----	-----	------------------------------

**Comment:** INSPECT WORK TO CURRENT STEP509/02/13 JA

4.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1

Identify and Stock

Location: \_\_\_\_\_

5.0	QC21	FINAL INSPECTION/W/O RELEASE
-----	------	------------------------------

**Comment:** FINAL INSPECTION/W/O RELEASE

Job Completion



Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
090709	100	Dwg D3186-4 detail D .98 typ is now corrected to <del>1.20</del> 1.130	<i>[Signature]</i>	090713		<i>[Signature]</i> 09.07.13 JL 451042	<i>[Signature]</i> 09/07/13

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**DART**


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED B	APPROVED H	DRAWING NO. D3186	REV. D SHEET 1 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS
A	03.03.27	NEW ISSUE	
B	06.09.25	DIMS UPDATED TO MATCH PRODUCT FOAM PATTERN UPDATED D3186-1M/-2M/-3/-4 ADDED	
C	06.12.13	REMOVED D0600-XXX LABELS	
D	07.02.22	UPDATE DIMENSIONS	

**MAIN LAYUP**

9 OZ SATIN (9 SQ FEET)  
9 OZ SATIN (9 SQ FEET)  
FOAM  
9 OZ SATIN (9 SQ FEET)  
12 OZ UNIDIRECTIONAL  
9 OZ SATIN (9 SQ FEET)  
RESIN (35-45% BY WEIGHT)  
PEEL PLY

**RELEASED**

07.02.27

**D3186-1M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8005 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")  
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S10
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
45183

**Copyright © 2003 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 2 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

**MAIN LAYUP**

9 OZ SATIN (9 SQ FEET)  
9 OZ SATIN (9 SQ FEET)  
FOAM  
9 OZ SATIN (9 SQ FEET)  
12 OZ UNIDIRECTIONAL  
9 OZ SATIN (9 SQ FEET)  
RESIN (35-45% BY WEIGHT)  
PEEL PLY

**RELEASED**

07.02.27 [Signature]

**D3186-2M SPACEPOD DOOR AS MOLDED****NOTES:**

- 1) USE MOLD DT8006 FOR DOOR LAYUP
- 2) RESIN: EPOCAST 50-A/9816 OR DERAKANE 470-36/411/510A40
- 3) FOAM: 3/8", A500 CORE-CELL OR DIVINYCELL OR AIREX OR KLEGECELL
- 4) FIBRE: 9.7 OZ 7781 WEAVE "S" GLASS ("9 OZ SATIN")  
12 OZ UNIDIRECTIONAL FIBERGLASS ("12 OZ UNIDIRECTIONAL")
- 5) LAMINATE PER DART QSI 006 4.0
- 6) LAMINATION SCHEDULE PER THIS DRAWING
- 7) FINISH INSIDE/OUTSIDE WITH DUPONT HIGHBUILD GREY PRIMER 1144-S
- 8) ALL DIMENSIONS ARE IN INCHES
- 9) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 485693



**Copyright © 2003 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**

DESIGN DS	DRAWN BY <i>LE</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>B</i>	APPROVED <i>H</i>	DRAWING NO. D3186	REV. D SHEET 3 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

REFER TO DETAIL 'C'  
FOR HOLE DETAILS  
(2 SETS)

**NOTES:**

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

SHOP COPY  
RETURN TO  
ISSUING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER NO. *45693*

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.




**DART**


DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 4 OF 5
DATE 07.02.22	TITLE SPACEPOD DOOR		SCALE NTS

**RELEASED**

07-02-27



**D3186-2 SPACEPOD DOOR. RH**  
**(MAKE FROM D3186-2M)**



**D3186-4 SPACEPOD DOOR. RH**  
**(MAKE FROM D3186-2M)**

**NOTES:**

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED


SHOP COPY  
UNCONTROLLED COPY  
SUBJECT TO AGREEMENT  
WITH CUSTOMER  
NO. 45693

Copyright © 2003 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN DS	DRAWN BY LE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED JB	APPROVED [Signature]	DRAWING NO. D3186	REV. D SHEET 5 OF 5
DATE 07.02.22		TITLE SPACEPOD DOOR	SCALE NTS




**DETAIL A**




**DETAIL B**

**RELEASED**  
07.02.22 [Signature]




**DETAIL C**




NOTE: ENSURE THAT CUTOUT IS PERPENDICULAR TO EDGE OF DOOR

**DETAIL D**



**DETAIL E**



**DETAIL F**

**NOTES:**

- 1) ALL DIMENSIONS ARE IN INCHES
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.